

SNO-WAY[®]
SNOW & ICE CONTROL EQUIPMENT

UTV SNOW PLOWS

**STRONGER
SMARTER
BETTER**[™]
THROUGH INNOVATION



** Shown with optional blade guides*

HOME OF INNOVATION[™]


UTV V Plow

SNO-WAY® *Move it.*


Sno-Way has designed the next small plow with a BIG appetite for snow. Sno-Way has designed a trip edge Vee plow for the UTV market. This is a fully hydraulic 6 foot Vee plow that will handle the rigors of plowing with a UTV. Sno-Way uses the same proven mounting system that we have been using on the straight plow. It goes on and off easily without sacrificing ground clearance. Use our wireless Pro Control II™ and eliminate all of the control's wires coming into the cab. Team up with Sno-Way and keep your UTV working all year.

FEATURES


- » Trip Edge Blade Design
 - Plow much easier on UTV frame, when obstacles are encountered
- » Enclosed Hydraulic System
 - Matches the amp draw of the UTV and delivers superior plow speed
- » Tube Steel/Tab-Slot and Lock Construction
 - Engineered for load force absorption
 - Engineered to last
- » Pre-Drilled Top Blade Rail
 - Allows for easy installation of E-Z Fit™ Deflector
- » Full Control of all Wing Positions Hydraulically
 - Fast force hydraulic system
- » Triple Coat Protection
 - Zinc Phosphate Wash
 - Automotive E-Coat Primer
 - Military Grade Powder Coat Finish




Vee Position



Full-Width Straight Position



Angle Right Window Position



Maximum Carrying Capacity



Control your snow-moving machine with a touch of a button using Sno-Way's patented wireless Pro Control II™ (optional)

Move it.

Visit snoway.com for video, updates and so much more.

- » When plow is removed only the mounting system remains under the UTV.
- » Mounting system provides excellent ground clearance and easy on easy off.



UTV TRIP EDGE PLOW SPECIFICATIONS

Blade Width	72"	Weight	265 lbs. (Does not include VCM)
Angle Plowing Width	62"	Cutting Edge	1/4" x 4-1/2"
Plow Lifting 30°	Hydraulic	Vertical Ribs	4
Blade Height	22"	Trip Springs Extension	2
Plow Angling	Hydraulic	Plow Shoes	Optional



UTV V PLOW SPECIFICATIONS

Blade Width	72"	Plow Angling	Hydraulic out/Spring Return
Blade Width V	67"	Weight	291 lbs. (Does not include VCM)
Scoop Width	61"	Cutting Edge	1/4" x 4-1/2"
Angle Width	64"	Vertical Ribs	6 (3 on each wing)
Plow Lifting 30°	Hydraulic	Trip Springs	2 (1 on each wing)
Blade Height	24" ID 28" OD	Plow Shoes	Optional

SNO-WAY[®]
 SNOW & ICE CONTROL EQUIPMENT
www.snoway.com

SOLD AND SERVICED BY:

STANDARD LIMITED WARRANTIES

For complete warranty terms for products sold by Sno-Way, please refer to the limited warranty information that accompanies each product, visit www.snoway.com or contact your authorized Sno-Way Retailer.

LEGAL STATEMENT VEHICLES INTENDED TO BE EQUIPPED WITH A SNOW PLOW AND/OR SPREADER MUST BE IN COMPLIANCE WITH THE VEHICLE MANUFACTURERS' SPECIFICATIONS FOR EQUIPMENT APPLICATION. SNO-WAY INTERNATIONAL, INC. RESERVES THE RIGHT TO CHANGE PRODUCT DESIGN, CONSTRUCTION, MATERIALS AND SPECIFICATIONS WITHOUT NOTICE UNDER ITS ONGOING PRODUCT IMPROVEMENT PROGRAMS.

Sno-Way Snow and Ice Control Equipment are protected by numerous U.S. and foreign patents with other patents pending. All other trademarks and registered trademarks are the property of their respective owners.
 © 2018 Sno-Way International, Inc. All rights reserved. 06-18 UTV