



**SERIES 2**  
**SNO-WAY**®

**SNO-WAY**® *Move it*  
SNOW & ICE CONTROL EQUIPMENT



# CHOOSE THE RIGHT PLOW

p8



Blade: Driveway Series 2

p10



Blade: 22 Series 2

p12



Blade: 26 Series 2

p14



Blade: 29HD Series 2

p16



Blade: 32C Series 2

**Light Commercial** You plow your long driveway, mom's driveway, your small shop lot and you make a few bucks when it really piles up.



**Mid Commercial** When the white stuff falls, you're out to make some green. You probably have a few guys who work for you. Parking lots and driveways are the bulk of your business.



**Commercial** You're serious about plowing and at the top of your game. You have a full crew of hard-working plowers who know how to move snow efficiently. Together, you plow virtually everything except the roadways.



## STRAIGHT PLOWS

Sno-Way can fit more truck applications using high strength steels and custom-designed components. While the mount, control and electrical systems allow a single plow-user maximum snow-moving, the systems are absolutely perfect for fleets as it is painless to move from truck to truck.

p20



Blade: 26R Series 2

p22



Blade: 29R Series 2

p24



Blade: RevHD Series 2

## R-SERIES PLOWS

Revolution plows are well, revolutionary - they sport independent hydraulic wings on both ends. These are the only truck plows in the world that can be turned from a straight plow to a scoop plow to a curb plow in seconds — all from your cab.

p28



Blade: 22V Series 2

p30



Blade: 26V Series 2

p34



Blade: 29VHD Series 2  
Skin: Powder Coated Steel or Stainless Steel Skin

## V-SERIES PLOWS

Sno-Way V-Plows clean better, scrape better and back drag so much better than any plow on the market. Our V-Plows do not overweight your truck and provide an even payload experience which keeps all four wheels in full contact with the pavement.

p32



Blade: 29RVHD Series 2

## RV-SERIES PLOW

Sno-Way combined the best of the Flared V-Wing series and the R-Series plow to give the operator the best of the best.



SERIES 2 is comprised of our patented ESS® plow light connection. Instead of hooking up to a truck's computer, which can create problems with flashing and shut downs, Sno-Way's ESS® System manages LED thermosensitive marker lights, turn signals, high beams and low beams by tapping into the battery of the truck.

With the ProControl™ 2 Plus, making changes on the fly is super easy along with one power harness and one harness for lights and control — a single system that fits on every truck... making your fleet completely interchangeable.



### Series 2 Package

- LED Thermosensitive Heated Lights
- ProControl™ 2 Plus
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System



#### ■ LED Thermosensitive Heated Lights

Custom LED lights are thermosensitive and heat only when needed, plus reduces unnecessary power drain on your system.



#### ■ ProControl™ 2 Plus (controls plow & lights)

Puts the driver in control of plow positions and brights and dims with the touch of a button from inside the cab.



#### ■ Series 2 Hydraulics Package

Locates the power of your plow on the upper light bar. Improves hose routing for better hydraulic efficiencies, access for service and pump protection.



#### ■ Outboard Mount Stand

Mount stands simplify the attachment and detachment of your plow to your truck.



#### ■ Two Plug System

One 4-gauge power plug — one connector for lights and control. This system is the same for all plow models for complete fleet interchangeability.



#### ■ ESS® — Energy Smart System

One system fits every truck. No more truck specific light systems. Fleet owners can move any plow to any truck without extra expense.

# PROCONTROL™ 2 PLUS

## Intuitive Wireless Control Design

Control your plow and spreader with the ergonomically designed ProControl™ 2 Plus — offered in a wired configuration or patented wireless design — which provides the ultimate in-cab mounting flexibility.

### Key Benefits:

- **Ergonomic Design**  
*Allows for comfortable right or left hand operation*
- **Customized Settings**  
*Customize your macro settings to program your own unique plow configurations (A-B)*
- **Reactive Down Pressure® Hydraulics**  
*With the one-time push of a button, this system is ALWAYS reactive to the landscape you're plowing — adding 250 pounds of downward force, no matter the terrain*
- **Backlit & No Dash Wires**  
*Control is backlit for night time use... installs in just minutes with ZERO drilling*
- **Dual Controls**  
*Will operate both plow and tailgate spreader at the same time*
- **Works with all Sno-Way® plows and tailgate spreaders**

In addition, the wireless controller eliminates cumbersome dash wires that can easily become tangled or restrict placement of the control — especially for left hand use. The wireless ProControl™ 2 Plus keeps your truck cab in original condition and installs in minutes with ZERO drilling or wire harness “snaking” through the vehicle firewall. *(A wired version is also available).*




# DRIVE-IN MOUNT SYSTEM

## Drive in... let the plow do the rest

*Check online to see a video and specifics on this system —*

Our hydraulic-assist plow mount attaches itself to your vehicle sub-frame. The driver simply positions the vehicle in line with the mount and uses the control to positively connect to the plow. This industry-first design allows the driver to safely control the movement of the plow without standing between the vehicle and the plow.

### Standard on all Sno-Way® plows!



*Tapered surfaces provide for easy entry...*



*Moving light bar back causes mount pins to seat...*



*Spring loaded handles snap into place.*



## ESS® Connection

ESS allows fleet owners to move any plow to any truck without the expense of installing a separate lighting harness system.



## Brain Box

This compact computer allows ESS® to solve four big problems:

- Computer problems
- Flashing problems
- Shut-down problems
- Transferring plows to other trucks

## No relays. No modules. No downtime. No kidding.

Sno-Way's patented ESS® plow light connection system simply removes the truck lighting circuit from the plow lighting system. The Energy Smart system is standard on all Sno-Way Series 2 truck plows.

## Key Benefits:

- **Downtime reduction**  
*Eliminates all failure-prone relays*
- **Corrosion elimination**  
*Military grade connectors keep moisture out (in use or in storage)*
- **Simple, plug-and-play design**  
*Mating faces fit only one way — helps in all weather conditions*
- **Installs quickly and easily**  
*Cleanest and fastest in industry — uses only one electrical harness*
- **Complete Fleet 2-Plug Connection System**  
*Can move ESS® system from one truck to another without any additional costly components*



29R



29VHD



29HD



With ESS®, adaptor harnesses are never needed. Switching plows throughout your fleet is super-simple at no additional cost.

# DOWN PRESSURE®

Cleaner plowing = less time, less fuel & less salt.

Sno-Way's patented Down Pressure® hydraulics is by far the ultimate plow upgrade. This reactive system automatically turns on and off by following the contours of the terrain you're plowing — always applying 250 pounds of down force — even after stacking.

**Down Pressure®** | Allows you to scrape or backdrag more snow in less time resulting in 30% more efficiency.

- **Move More Snow**

*Apply Down Pressure® in heavy wet snow to keep the blade on the surface and collect more snow in one pass.*

- **More Traction**

*Down Pressure® increases traction which also increases efficiency because of less tire spinning. This also reduces the risk of accidents.*

- **Less Wear & Tear**

*Down Pressure® creates less force on your front axle reducing the chance of breakage and the need for rebuilding of the suspension.*


- **Fuel & Salt Costs**

*Down Pressure® eliminates the skim layer that all other plows leave = reduction in passes = saving fuel and using less salt.*

- **Go Green**

*Down Pressure® reduces your fuel usage and prevents breakage, resulting in fewer parts in landfills and less salt dumped on the road.*

Some may claim they have a down pressure system that produces results like ours, but take it from us — the leader in Down Pressure® Technology — no plow will clean as efficiently or as quickly as a Sno-Way® plow.



Only Sno-Way® offers Down Pressure® Technology

**SNO-WAY®**  
SNOW & ICE CONTROL EQUIPMENT

**Move it**




### SERIES 2

#### Fits SUVs and Downsized Trucks

You **MUST** see your retailer or check online application guide for current truck application information

This plow is made for your driveway, comes standard with Down Pressure® to make your driveway the cleanest around. This is a commercial plow Sno-Way designed for the homeowner. Sno-Way Driveway plows give you big blade results in a compact package.



#### MAXIMUM SNOW MOVING CAPACITY



#### DOWNPRESSURE® STANDARD





## FEATURES

## 22 DRIVEWAY SERIES 2 SPECS

- **Driveway Plow**
  - *ProControl™ II*
  - *Upgraded Hydraulics Package*
- **Patented Ground Hugger™ Blade Design**
  - *Keeps plow on the ground*
- **Ultra High Strength Steel Components**
- **Polycarbonate Blade Skin**
- **Specific Angle & Raise Cylinder Designs**
  - *Special designs are lighter weight and same force as larger cylinders*
- **Special Design Trip Springs**

**\*\* Option Up With Smart Sight® Light \*\***

	Driveway	Driveway
Blade Width .....	6'8"	7'6"
30° Angle Plowing Width .....	69"	78"
Blade Height .....	22"	22"
Cutting Edge (Gr. 1080 Steel) .	1/4" x 4-1/2"	1/4" x 4-1/2"
Vertical Ribs .....	4/2	4/2
Trip Springs: Extension .....	2	2
Plow Shoes .....	Optional	Optional
Lights .....	Optional Aux.	Optional Aux.**
Drive-in Mount .....	Standard	Standard
Paint: Triple Coat Protection .	Standard	Standard
Shock Killer™ System ...	Standard	Standard
FlexForce Frame .....	Standard	Standard
DownPressure® Hydraulics..	Standard	Standard
Wireless ProControl™ II ....	Optional	Optional
Weight .....	288 lbs.	298 lbs.

\* Plow weight does not include weight of vehicle mount

\*\* Optional Auxiliary Light not for highway use



The wired or wireless ProControl™ II allows for easy one-touch button control.



Driveway Series 2 blade shown with optional deflector and optional Smart Sight® Light

**SNO-WAY®**  
SNOW & ICE CONTROL EQUIPMENT

*Move it*

## SERIES 2

### Fits SUVs and Downsized Trucks

You **MUST** see your retailer or check online application guide for current truck application information

Whether you're looking to plow out your driveway, help out a neighbor or upfitting a downsized vehicle to handle your small commercial lots, Sno-Way 22 Series 2 plows give you big blade results in a compact snow plow package.



LED Lights

- Thermosensitive Heated
- ESS® Technology

Polycarbonate Blade Sheet


- Super light, but super strong

MAXIMUM SNOW MOVING CAPACITY



22

DOWNPRESSURE® OPTIONAL



## FEATURES

## 22 SERIES 2 SPECS

## ■ Series 2 Package

- LED Thermosensitive Heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

## ■ Patented Ground Hugger™ Blade Design

- Keeps plow on the ground

## ■ Ultra High Strength Steel Components

## ■ Polycarbonate Blade Skin

## ■ Specific Angle &amp; Raise Cylinder Designs

- Special designs are lighter weight and same force as larger cylinders

## ■ Special Design Trip Springs

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

	22 Series 2	22 Series 2
Blade Width	6'8"	7'6"
30° Angle Plowing Width	69"	78"
Blade Height	22"	22"
Cutting Edge (Gr. 1080 Steel)	1/4" x 4-1/2"	1/4" x 4-1/2"
Vertical Ribs	4/2	4/2
Trip Springs: Extension	2	2
Plow Shoes	Optional	Optional
Lights	LED Lights	LED Lights
Drive-in Mount	Standard	Standard
Paint: Triple Coat Protection	Standard	Standard
Shock Killer™ System	Standard	Standard
FlexForce Frame	Standard	Standard
DownPressure® Hydraulics	Optional	Optional
Wireless ProControl™ 2 Plus	Optional	Optional
Weight	320 lbs.	330 lbs.

\* Plow weight does not include weight of vehicle mount

\*\* Optional Auxiliary Light not for highway use



22 Series 2 blade shown with optional deflector



The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.



### SERIES 2

#### Fits 1/2 Ton Trucks

You **MUST** see your retailer or check online application guide for current truck application information


Sno-Way plows are renowned for their high-strength, quality and durability. The 26 Series 2 is no exception. It's specially designed for the 1/2 ton truck market.



#### LED Lights


- Thermosensitive Heated
- ESS® Technology

#### MAXIMUM SNOW MOVING CAPACITY



26 Series 2  
7'6 model

#### DOWNPRESSURE® OPTIONAL



## FEATURES

## 26 SERIES 2 SPECS



*The 26 has all of the same standard features as Sno-Way's commercial plow line without the extra weight.*

#### ■ Series 2 Package

- LED Thermosensitive Heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

#### ■ Patented Ground Hugger™ Blade Design

- Keeps plow on the ground

#### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

#### ■ Robust Full-Load Trip Springs

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Blade Width	6'8"	7'6"
30° Plowing Width	69"	78"
Blade Height	26"	26"
Blade Thickness	14 Gauge	14 Gauge
Cutting Edge (1080 Steel)	3/8" x 6"	3/8" x 6"
Vertical Ribs	7	7
Trip Springs: Extension	2	2
Plow Shoes	Optional	Optional
LED Lights Thermosensitive Heated	Standard	Standard
Energy Smart System (ESS®) Technology	Standard	Standard
Drive-in Mount	Standard	Standard
Paint: Triple Coat Protection	Standard	Standard
Shock Killer™ System	Standard	Standard
FlexForce Frame	Standard	Standard
DownPressure® Hydraulic System	Optional	Optional
Wireless ProControl™ 2 Plus	Optional	Optional
Weight	456 lbs.*	471 lbs.*

\* Plow weight does not include weight of vehicle mount



*The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.*



# 29HD

## Commercial Plow Performance

### SERIES 2



Fits 3/4 Ton and 1 Ton Trucks

*You MUST see your retailer or check online application guide for current truck application information*


Built to last, the 29HD Series 2 is a heavy-duty commercial plow optimized for weight to fit more trucks. It's custom engineered to receive optional E-Z Switch™ Wings to move even more snow.



#### MAXIMUM SNOW MOVING CAPACITY



#### DOWNPRESSURE® OPTIONAL





## FEATURES

## 29HD SERIES 2 SPECS



Two sizes of E-Z Switch™  
Wings available: (3" and 9") —  
a universal mount system that  
allows accessories to be  
changed in seconds!

#### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

#### ■ Patented Ground Hugger™ Blade Design

#### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

#### ■ Robust Full-Load Trip Springs

#### ■ Custom designed to accept E-Z Switch™ Wings

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Blade Width	7'6"	8'0"
30° Plowing Width	78"	83"
Blade Height	29"	29"
Blade Thickness	12 Gauge	12 Gauge
Cutting Edge (1080 Steel)	3/8" x 6"	3/8" x 6"
Vertical Ribs	7	7
Trip Springs: Extension	2	2
Plow Shoes	Optional	Optional
LED Lights Thermosensitive Heated	Standard	Standard
Energy Smart System (ESS®) Technology	Standard	Standard
Drive-in Mount	Standard	Standard
Paint: Triple Coat Protection	Standard	Standard
Shock Killer™ System	Standard	Standard
FlexForce Frame	Standard	Standard
DownPressure® Hydraulic System	Optional	Optional
Wireless ProControl™ 2 Plus	Optional	Optional
E-Z Switch™ Wings (3" or 9")	Optional	Optional
Weight	571 lbs.*	635 lbs.*

\* Plow weight does not include  
weight of vehicle mount



The wired or wireless  
ProControl™ 2 Plus  
allows for easy  
one-touch  
button control.



29HD blade shown with  
9" E-Z Switch™ wing accessory

# 32C

## The Professional's Straight Blade Plow

### SERIES 2

Fits 3/4 Ton to Class 5 Trucks

*You MUST see your retailer or check online application guide for current truck application information*

The 32 Contractor Series snow plow offers snow removal professionals a rugged straight plow that combines close tolerance manufacturing, industry leading hydraulics and patented electronics for long term performance.




#### LED Lighting Package


- Thermosensitive Heating
- Works with ESS® system




SERIES 2  
**SNO-WAY®**



#### MAXIMUM SNOW MOVING CAPACITY




32C  
9'0" Model



32C  
10'0" Model

#### DOWNPRESSURE® STANDARD



## FEATURES

## 32C SERIES 2 SPECS



The 32C, like the rest of our plows comes with the patented Ground Hugger™ blade design. Coupled with the Down Pressure® Hydraulics, you get great scraping and back-dragging action.



Two sizes of E-Z Switch™ Wings available: (3" and 9") — a universal mount system that allows accessories to be changed in seconds!

#### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

#### ■ Patented Ground Hugger™ Blade Design

#### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

#### ■ Custom designed to accept E-Z Switch™ Wings (8'6" and 9' only)

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Blade Width	8'6"	9'0"	10'0"
30° Angle Plowing Width	89"	94"	104"
Blade Height	31.5"	31.5"	31.5"
Blade Thickness	12 Gauge	12 Gauge	12 Gauge
Cutting Edge (1080 Steel)	1/2" x 6"	1/2" x 6"	1/2" x 6"
Vertical Ribs	7	7	7
Trip Springs: Extension	2	2	2
Plow Shoes	Optional	Optional	Optional
LED Lights Thermo Heat	Standard	Standard	Standard
Energy Smart System (ESS®) Technology	Standard	Standard	Standard
Drive-in Mount	Standard	Standard	Standard
Paint: Triple Coat Protection	Standard	Standard	Standard
Shock Killer™ System	Standard	Standard	Standard
FlexForce Frame	Standard	Standard	Standard
DownPressure® Hydraulics	Standard	Standard	Standard
E-Z Switch™ Wings (3" or 9")	Optional	Optional	N/A
Wireless ProControl™ 2 Plus	Optional	Optional	Optional
Weight	704 lbs.*	718 lbs.*	758 lbs.*

\* Plow weight does not include weight of vehicle mount



The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.



32C blade shown with rubber custom fit snow deflector accessory



# R - Series Plows

## SERIES 2

### ESS® LED Lighting Package

- Provides wider projection area
- Not connected to truck computer
- No computer shut-down or fault alarms
- One harness fits all trucks
- Complete Fleet 2-Plug Connection System
- ProControl™ 2 Plus operates plow and lights

### Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of the E-Z Fit Deflector

### Double Wing Plows

26R, 29R, 29RVHD & RevHD

- Dual Hydraulic Wings
- Controlled by hand-held controller
- No-gap wing design
- Triple axis plow
  - center angle & dual wing angles
- Fast and responsive hydraulic action

### Triple-Coat Protection

- Zinc Phosphate Wash
- Automotive E-Coat Primer
- Military Grade Powder Coat Finish

### Patented Hinge Design

- No Gap reduces snow trails
- Blade and wings stay parallel to the ground for better cleaning

### Ground Hugger™ Blade Design

- Keeps plow on the ground


## INNOVATIONS & FEATURES

### Series 2 Hydraulics System

- More efficient with increased force
- Easy Access

26R and 29R wings can be moved from a straight position to a 90° orientation to the main blade.

The 29RVHD and RevHD can move a full 150° for safer transportation. The wings add infinite snow moving capabilities.



### Drive-in Mount System

- Outboard leg stands for simple and safer operation

**SERIES 2**  
**SNO-WAY®**

### Reactive Down Pressure® Hydraulics System

250 lbs. down pressure makes backdragging a breeze

- Scrapes clean forward and back dragging
- Increases snow-moving efficiency 30%

### Shock Killer™ Trip Return System

- Reduces return shock to truck and driver



Moving snow has never been easier with R-Series 2 plows configurations at your control — positioning is virtually limitless!!

**SNO-WAY®** **Move it**  
SNOW & ICE CONTROL EQUIPMENT

# 26R

A revolutionary plow for half-ton trucks

## SERIES 2

### Fits 1/2 Ton Trucks

You **MUST** see your retailer or check online application guide for current truck application information

With our patented independently controlled hydraulic wings, the 26R Series 2 converts your truck into a snow moving machine, by providing more snow moving capability and flexibility than any other plow in the industry.




#### Independent Hydraulic Wings

- Up to 90° rotation
- From straight to angled in seconds

#### MAXIMUM SNOW MOVING CAPACITY




26R at  
45° Angle



26R at  
90° Angle

#### DOWNPRESSURE® STANDARD






## FEATURES

## 26R SERIES 2 SPECS



Moving snow has never been easier than with a 26R-Series 2 plow. Blade and wing configurations are at your control — positioning is virtually limitless!



Each wing can be moved from a straight out position into a 90° orientation to the main blade

### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

### ■ Patented Ground Hugger™ Blade Design

- Keeps plow on the ground

### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

### ■ 90° Hydraulic Wing Rotation

- Infinite Snow Moving Adjustability
- Blade and wings stay parallel to the ground

\*\* Option Up With Smart Sight® and Smart Flash® \*\*

Blade Width	8'0"
30° Angle Plowing Width	83"
Box Plow Width	84"
Blade Thickness	12 Gauge
Blade Height	26"
Cutting Edge Proprietary Steel	.3/8" x 6"
Vertical Ribs	5
Trip Springs: Extension	2
Plow Shoes	Optional
LED Lights Thermosensitive Heated	Standard
Energy Smart System (ESS®) Technology	Standard
Drive-in Mount System	Standard
Paint: Triple Coat Protection	Standard
Shock Killer™ System	Standard
FlexForce Frame	Standard
Down Pressure® Hydraulic System	Standard
Wireless ProControl™ 2 Plus	Optional
Weight	590 lbs.*

\* Plow weight does not include weight of vehicle mount



The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.



# 29R

## The Ultimate Snow Moving Machine

### SERIES 2

Fits 3/4 Ton to 1 Ton Trucks

*You MUST see your retailer or check online application guide for current truck application information*

The 29R stands out from the crowd with the greatest possible snow moving flexibility and capacity for your plow truck. No more machine limitations!




#### Patented Shock Killer™ Trip Return System


- Reduces Return Shock to Truck and Driver



#### MAXIMUM SNOW MOVING CAPACITY




29R at  
45° Angle



29R at  
90° Angle

#### DOWNPRESSURE® STANDARD




## FEATURES

## 29R SERIES 2 SPECS



Moving snow has never been easier than with a 29R-Series 2 plow. Blade and wing configurations are at your control — positioning is virtually limitless!



The 29R is designed with patented hydraulic end wings that can be controlled together or independently to move the snow where you want it at any time. Each wing can be moved from a straight out position into a 90° orientation to the main blade — effectively creating a box plow.

### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

### ■ Patented Ground Hugger™ Blade Design

### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

### ■ 90° Hydraulic Wing Rotation

- Infinite Snow Moving Adjustability
- Blade and wings stay parallel to the ground

\*\* Option Up With  
Smart Sight® and  
Smart Flash® \*\*

Blade Width	8'10"
30° Angle Plowing Width	92"
Box Plow Width	93"
Blade Thickness	12 Gauge
Blade Height	29"
Cutting Edge Proprietary Steel	3/8" x 6"
Vertical Ribs	5
Trip Springs: Extension	2
Plow Shoes	Optional
LED Lights Thermosensitive Heated	Standard
Energy Smart System (ESS®) Technology	Standard
Drive-in Mount System	Standard
Paint: Triple Coat Protection	Standard
Shock Killer™ System	Standard
FlexForce Frame	Standard
Down Pressure® Hydraulic System	Standard
Wireless ProControl™ 2 Plus	Optional
Weight	705 lbs.*

\* Plow weight does not include weight of vehicle mount



The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.



# RevHD

Moves the Most Snow. Period.

## SERIES 2

Fits 3/4 Ton to Class 5 Trucks

You **MUST** see your retailer or check online application guide for current truck application information

No other plow on the market does what the Series 2 Revolution™ HD snowplow can do. It moves the most snow due to its size, fully controllable wings, and our patented Down Pressure® Hydraulic System which increases snow removal efficiency by 30%.




### Reactive DownPressure® Hydraulics System


- Scrapes clean forward and back dragging
- Increases snow-moving efficiency 30%
- Follows terrain automatically



### MAXIMUM SNOW MOVING CAPACITY




RevHD at  
45° Angle



RevHD at  
90° Angle

### DOWNPRESSURE® STANDARD






## FEATURES

## RevHD SERIES 2 SPECS



Moving snow has never been easier than with a RevHD Series 2 plow.  
Blade & wing configurations are at your control — positioning is limitless!



Patented double plow wings that pivot independently up to 150° allows plowers to turn their machines from a straight plow to a box plow (and everything in between). Most plowers see their plowing time cut in half!

### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

### ■ Patented Ground Hugger™ Blade Design

### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

### ■ 150° Hydraulic Wing Rotation

- Infinite Snow Moving Adjustability
- Blade and wings stay parallel to the ground

\*\* Option Up With Smart Sight®  
and Smart Flash® \*\*

Blade Width	10'0"
30° Plowing Width	104"
Box Plow Width	105"
Blade Height	29"
Blade Thickness	12 Gauge
Cutting Edge (Proprietary Steel)	1/2" x 6"
Vertical Ribs	6
Trip Springs: Extension	2
Plow Shoes	Optional
LED Lights Thermosensitive Heated	Standard
Energy Smart System (ESS®) Technology	Standard
Drive-in Mount	Standard
Paint: Triple Coat Protection	Standard
Shock Killer™ System	Standard
FlexForce Frame	Standard
DownPressure® Hydraulic System	Standard
Wireless ProControl™ 2 Plus	Optional
Weight	865 lbs.*

\* Plow weight does not include weight of vehicle mount



The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.



# V-Series Flared Wing Plows

## SERIES 2

### ESS® LED Lighting Package

- Provides wider projection area
- Not connected to truck computer
- No computer shut-down or fault alarms
- One harness fits all trucks
- Complete Fleet 2-Plug Connection System
- ProControl™ 2 Plus operates plow and lights

### E-Z Fit Deflector (Optional)

- Enhanced curvature to optimize snow rolling

### MaxADJUST™ Leveling System

- Safer and easier to adjust plow (26V, 29V, 29RVHD)

### Triple -Coat Protection

- Zinc Phosphate Wash
- Automotive E-Coat Primer
- Military Grade Powder Coat Finish

### Ground Hugger™ Blade Design

- Keeps plow on the ground

### No Gap Hinge Design

- Reduces snow trails

## INNOVATIONS & FEATURES

### Series 2 Hydraulics System

- More efficient with increased force
- Easy Access

### Drive-in Mount System

- Outboard leg stands for simple and safer operation

### Patented MaxADJUST™

Leveling System allows the user to make adjustments while standing in front of the plow instead of from underneath.



### Flared Wing Design

- Moves more snow

### Shock Killer™ Trip Return System

- Reduces return shock to truck and driver

### Reactive Down Pressure® Hydraulics System

250 lbs. down pressure makes backdragging a breeze

- Scrapes clean forward and back dragging
- Increases snow-moving efficiency 30%
- Follows terrain automatically

# 22V

## Flared Wing V-Plow for Downsized Trucks

### SERIES 2

#### Fits SUVs and Downsized Trucks

You **MUST** see your retailer or check online application guide for current truck application information

Sno-Way innovation at its best.

Small plow with large plow features:

**Flared Wings, Direct Linkage, and Down Pressure®.** 22V also has a trip edge design to minimize shock to your truck.



#### MAXIMUM SNOW MOVING CAPACITY



#### DOWNPRESSURE® STANDARD





## FEATURES

## 22V SERIES 2 SPECS

- **Series 2 Package**
  - LED Thermosensitive Heated Lights
  - ProControl™ 2 Plus (controls plow & lights)
  - Upgraded Hydraulics Package
  - Complete Fleet 2-Plug Connection System
  - ESS® — Energy Smart System
- **Patented Ground Hugger™ Blade Design**
  - Keeps plow on the ground
- **Ultra High Strength Steel Components**
- **Center Jack Stand**
- **Trip Edge Blade**
- **Pre-Drilled Top Blade Rail**
  - Allows for E-Z Installation of E-Z Fit Deflector

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Blade Width .....	88"
V Width .....	77"
Scoop Width .....	82"
Blade Thickness .....	14 Gauge
Blade Height (Center/Outer) .....	22"/27"
Cutting Edge .....	1/4" x 4-1/2"
Vertical Ribs .....	6
Trip Springs: Extension .....	2
Plow Shoes .....	Optional
Center Jack Stand .....	Standard
LED Lights Thermosensitive Heated .....	Standard
Energy Smart System (ESS®) Technology ...	Standard
Drive-in Mount System .....	Standard
Paint - Triple Coat Protection .....	Standard
Shock Killer™ System .....	Standard
FlexForce Frame .....	Standard
Down Pressure® Hydraulic System .....	Standard
Wireless ProControl™ 2 Plus .....	Optional
Weight .....	380 lbs.*

\* Plow weight does not include weight of vehicle mount



The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.



To view a walk-around video, scan this code with your phone's camera.



# 26V

## 1/2 Ton Flared Wing V-Plow

### SERIES 2

#### Fits 1/2 Ton Trucks

You **MUST** see your retailer or check online application guide for current truck application information

The 26V Series 2 is 8 feet wide with a flared wing design. It is specifically made to provide 1/2 ton trucks superior snow moving capability. The unique Ground Hugger™ blade design keeps the blade on the ground and the patented MaxADJUST™ Leveling System enhances cleaning.



#### MAXIMUM SNOW MOVING CAPACITY



#### DOWNPRESSURE® STANDARD



## FEATURES

## 26V SERIES 2 SPECS



*Sno-Way's Patented MaxADJUST™ Leveling System allows the user to make adjustments while standing in front of the plow instead of from underneath. This system allows for easy use on fleets that use more than one*

*type of truck model because there is no plow frame disassembly necessary for proper fit to each truck.*

### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

### ■ Patented MaxADJUST™ Leveling System

### ■ Patented Ground Hugger™ Blade Design

### ■ Double Acting Wing Cylinders

- Maximum Force Forward and Back

### ■ Pre-Drilled Top Blade Rail

- Allows for E-Z Installation of E-Z Fit Deflector

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Blade Width .....	8'0"
Scoop Width .....	79.5"
Blade Thickness .....	14 Gauge
Blade Height (Center/Outer) .....	25"/32"
Cutting Edge .....	3/8" x 6"
Vertical Ribs .....	6
Trip Springs: Extension .....	2
Plow Shoes .....	Optional
LED Lights Thermosensitive Heated .....	Standard
Energy Smart System (ESS®) Technology .....	Standard
Drive-in Mount System .....	Standard
Paint - Triple Coat Protection .....	Standard
Shock Killer™ System .....	Standard
FlexForce Frame .....	Standard
Down Pressure® Hydraulic System .....	Standard
Wireless ProControl™ 2 Plus .....	Optional
Weight .....	550 lbs.*

\* Plow weight does not include weight of vehicle mount



*The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.*



# 29RVHD

A Combination You Cannot Beat

## SERIES 2

See [snoway.com](http://snoway.com) application guide.

You **MUST** see your retailer or check online application guide for current truck application information


The 29RVHD is a combination you cannot beat for moving the most snow. This Flared wing V-plow with patented hydraulic end wings and Down Pressure® has the greatest possible snow moving flexibility and capacity for your plow truck. It has the patented Ground Hugger™ blade with the MaxAdjust™ Leveling system that keeps the plow on the ground to eliminate snow trails.



### MAXIMUM SNOW MOVING CAPACITY




### DOWNPRESSURE® STANDARD





## FEATURES

## 29RVHD SERIES 2 SPECS



The 29RVHD is designed with patented hydraulic end wings that can be controlled together or independently to move the snow where you want it.

Each wing can be moved from straight out up to a 150° for easier transportation.



Sno-Way's Patented MaxADJUST™ Leveling System allows the user to make adjustments while standing in front of the plow instead of from underneath. The operator can adjust the center hinge for perfect plowing alignment and eliminate a

snow trail. This system allows for easy use on fleets that use more than one type of truck model because there is no plow frame disassembly necessary for proper fit to each truck.

#### ■ Series 2 Package

- LED Thermosensitive heated Lights
- Wired ProControl™ 2 Plus ONLY (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

#### ■ Patented MaxADJUST™ Leveling System

#### ■ Patented Ground Hugger™ Blade Design

#### ■ Pre-Drilled Top Blade Rail

#### ■ Patented Shock Killer™ Trip Return System

#### ■ 150° Hydraulic Wing Rotation

- Infinite Snow Moving Adjustability
- Blade and wings stay parallel to the ground

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Max Blade Width	10'
Max V Width	114"
Transport Width	102"
Scoop Width	104"
Blade Height (Center/Outer)	29"/36-1/2"
Box Plow Width	96"
Blade Thickness	12 Gauge
Cutting Edge	1/2" x 6"
Vertical Ribs	6
Trip Springs: Extension	2
Plow Shoes	Optional
LED Lights Thermosensitive Heated	Standard
Energy Smart System (ESS®) Technology	Standard
Drive-in Mount System	Standard
Paint: Triple Coat Protection	Standard
Shock Killer™ System	Standard
FlexForce Frame	Standard
Down Pressure® Hydraulic System	Standard
Weight	1,075 lbs.*

\* Plow weight does not include weight of vehicle mount



# 29VHD


Best Cleaning Commercial V-Plow

## SERIES 2

Fits 3/4 Ton to Class 5

You **MUST** see your retailer or check online application guide for current truck application information

The 29VHD Series flared wing V-Plow, available in powder coated steel or with a stainless steel skin, has our patented Ground Hugger™ blade design along with the MaxADJUST™ Leveling System to keep the plow on the ground with optimal alignment that eliminates snow trails.



### MAXIMUM SNOW MOVING CAPACITY




29VHD at 15°  
on 9'6 Model



29VHD at 30°  
on 9'6 Model


### DOWNPRESSURE® STANDARD



### Stainless Steel Skin Kit

Looking for stainless steel for your 29VHD?

Purchase the Stainless Steel Skin Kit. Inserts easily over your powder coated steel skin for an eye catching look. (Includes decal and hardware.)



## FEATURES

## 29VHD SERIES 2 SPECS



Sno-Way's Patented MaxADJUST™ Leveling System allows the user to make adjustments while standing in front of the plow instead of from underneath. The operator can adjust the center hinge for perfect plowing alignment and eliminate a

snow trail. This system allows for easy use on fleets that use more than one type of truck model because there is no plow frame disassembly necessary for proper fit to each truck.

### ■ Series 2 Package

- LED Thermosensitive heated Lights
- ProControl™ 2 Plus (controls plow & lights)
- Upgraded Hydraulics Package
- Outboard Mount Stand
- Complete Fleet 2-Plug Connection System
- ESS® — Energy Smart System

### ■ Patented MaxADJUST™ Leveling System

### ■ Patented Ground Hugger™ Blade Design

### ■ Pre-Drilled Top Blade Rail

### ■ Patented Shock Killer™ Trip Return System

### ■ Available with Stainless Steel Skin

**\*\* Option Up With Smart Sight® and Smart Flash® \*\***

Blade Width	8'6"	9'6"
30° Plowing Width	78"	83"
Scoop Width	88"	98"
Blade Height (Center/Outer)	29"/36 1/2"	29"/38"
Blade Thickness	12 Gauge	12 Gauge
Cutting Edge	1/2" x 6"	1/2" x 6"
Vertical Ribs	6	6
Trip Springs: Extension	2	2
Plow Shoes	Optional	Optional
LED Lights Thermosensitive Heated	Standard	Standard
Energy Smart System (ESS®) Technology	Standard	Standard
Drive-in Mount	Standard	Standard
Paint: Triple Coat Protection	Standard	Standard
Shock Killer™ System	Standard	Standard
FlexForce Frame	Standard	Standard
DownPressure® Hydraulic System	Standard	Standard
Wireless ProControl™ 2 Plus	Optional	Optional
Weight	840 lbs.*	905 lbs.*
Stainless Steel Weight	897 lbs.*	981 lbs.*

\* Plow weight does not include weight of vehicle mount

The wired or wireless ProControl™ 2 Plus allows for easy one-touch button control.





# DESIGNED TO OPTIMIZE YOUR PLOW

Engineered by Sno-Way® for maximum performance and perfect fit, factory-original parts and accessories put your plow into productivity overdrive.

**1-year Warranty** | All Sno-Way® parts and accessories include a one-year limited warranty when installed by an authorized Sno-Way Retailer.



## ■ E-Z SWITCH™ Wings

29HD straight plows are engineered to accept the E-Z SWITCH™ Wing System. Choose from a 3" Box Wing to a 9" Scoop Wing to increase snow moving capacity. 32C 8'6" and 9' only.



3" Box Wing



9" Scoop Wing

## ■ Plow Blade Guides

Bright colors for high visibility in inclement weather; flexible blade guides help identify the plowing width while plowing. Constructed with a braided cable-core, these durable guides will flex under the most demanding plowing conditions.



## ■ Smart Flash® Kit

For use with ProControl™ 2 Plus in conjunction with the ESS®. Once you turn on the switch, Sno-Way's Smart Flash® commands the plow turn signal lights to flash. Sno-Way Smart Flash® also has the ability to flash auxiliary lights.

\*Vehicle receiver must be version 1.003 software or later to work the auxiliary lights or another set of lights (i.e. rear turn signals.) See [snoway.com](http://snoway.com) for videos of this in action.

## ■ E-Z Fit Snow Deflector

Sno-Way's E-Z Fit snow deflector design includes enhanced curvature for optimum snow-rolling and deflection. The 3-piece design is constructed of High Molecular Weight Polyethylene (HMPE), a super slick material with excellent impact resistance in cold temperatures. Unique molded reinforcement rib design provides superb rigidity and allows each deflector to overlap. Installs on all straight blades from 6' to 10' — also available for V-plows. (Includes hardware)





## SNO-WAY® ACCESSORIES



### ■ Rubber Deflector

Heavy-duty rubber belting material — perfect for directing snow down, while providing forgiveness should you run into an obstacle or a heavy pack of snow.



### ■ 3/8" Steel Cutting Edge

— 22 SERIES  
Heavy-duty steel cutting edge for use on 80" and 90" plows. The 3/8" design provides increased cutting edge, durability and longer wear life than standard 1/4" plow edges.



### ■ 3/4" Poly Cutting Edge

— 22 SERIES  
Our 22 Series cutting edges are 3/4" thick and are made of UHMW polyethylene. Durable and ideal for snow removal on decorative surfaces, paving stones, or cement driveways.



### ■ 1/2" Steel Cutting Edge

— 29R, 29HD & 26 SERIES  
Sno-Way offers a 1/2" thick heavy duty steel cutting edge. The 1/2" design provides increased cutting edge durability and longer wear life than the standard 3/8" steel edge.



### ■ EIS to ESS Conversion Kit

— No Lights  
Convert EIS wiring system to ESS wiring system while keeping the existing halogen lights.



### ■ EIS to ESS, plus Halogen to LED Conversion Kit

Convert EIS wiring system and halogen lighting kit to ESS wiring system with LED lighting kit.




### ■ VCM Plow Mount Conversion Kit

Allows older 3-point mount systems to fit current model sub-frames by replacing the standard Vehicle Center Member.



### ■ Plow Shoes

These optional cast-iron disc shoes help extend the wear life of the plow cutting edge. Each shoe includes a spacer and multiple washers for simple adjustment. Shoes are easily secured to (and removed from) the plow with locking lynch pins.



### ■ Smart Sight® Kit

This kit is designed to automatically provide extra light where you want it when the plow is pushing snow on the ground. Once the plow is raised or the controller is turned off, plow marker lights are off (not applicable on the Driveway Plow) the lamp will turn off.



### ■ Caster Kit

Includes 3 caster wheels and hardware. Sno-Way caster kit is easy to install using the existing shoe holes on the blade and the base of the plow A-Frame. Move your plow easily on blacktop or concrete. 22V must have shoe brackets, not included.



### ■ Curb Guards

Protect the edges of your plow with these long lasting, high impact steel curb guards. 1/2" thick and 15.5" x 6". Each guard has multiple hole patterns to match different Sno-Way cutting edge bolt hole locations. Quick and easy to install. Comes with hardware.

# ADDITIONAL ACCESSORIES



## ■ Anti-Corrosion Compound

Non-conductive compound that effectively seals against dirt and moisture and provides maximum protection — apply liberally to all exposed electrical components for extended wear life.



## ■ High Performance Hydraulic Oil

Zinc-free hydraulic oil provides superior corrosion resistance and maintains a pour point of -60°F. Recommended for all Sno-Way truck-mounted snow plows.



## ■ Controller Wall Charger

Designed for use with both the Pro Control II™ and Pro Control 2 Plus wireless snow plow controllers. Typically re-charges unit within 30 minutes.



## ■ Snow Emergency Parts Kit

Be ready for anything... All parts are packaged in a durable plastic case (13.5" x 11" x 3.25")



## ■ High Performance Touch Up Spray Paint

Sno-Way touch-up paint is custom matched to help conceal chips and scrapes and to protect your equipment from corrosion. All colors are available in 12-ounce aerosol cans.



## ■ Loctite

For additional protection from hardware loosening up.

## ■ E-Z Fit Poly Blade Kit

Sno-Way offers a poly skin insert kit for use on the Revolution™ HD, 29HD, 29R and 26 Series plows. You no longer need to have a special blade to have the benefit of a poly blade. You can place the E-Z Fit Skin Insert on your current blade and you have a new poly blade, ready for the snow to slide off.

## ■ Plow Parka

Long-lasting plow cover constructed of solution dyed, urethane-coated polyester — waterproof, prevents unraveling and doesn't fade. Includes heavy duty 1/4" diameter bungee cord sewn in bottom edge for a weather resistant fit.



The kit consists of retainer brackets, poly skin with decal and all necessary hardware.

## SNO-WAY® INNOVATIONS



■ Ground Hugger™ Plows




■ Double Hinge Plows



■ E-Z Switch™ Wing System



■ No Gap Hinge Mechanism



■ MaxADJUST™ Leveling



■ Down Pressure® Hydraulics



■ ESS® Lighting Package



■ ProControl™ 2 Plus Controller



■ E-Z Fit Snow Deflector



■ ESS® Wiring System



■ Drive-in Mount System





**It is more than a slogan... it is the heart and soul behind every Sno-Way® product. Our relentless pursuit to design and manufacture the most durable and efficient plows is what makes the Sno-Way name the strongest in the industry.**

**SNOWAY.COM**

**STANDARD LIMITED WARRANTIES**

For complete warranty terms for products sold by Sno-Way, please refer to the limited warranty information that accompanies each product, visit [www.snoway.com](http://www.snoway.com) or contact your authorized Sno-Way Retailer.

LEGAL STATEMENT VEHICLES INTENDED TO BE EQUIPPED WITH A SNOW PLOW AND/OR SPREADER MUST BE IN COMPLIANCE WITH THE VEHICLE MANUFACTURERS' SPECIFICATIONS FOR EQUIPMENT APPLICATION. SNO-WAY INTERNATIONAL, INC. RESERVES THE RIGHT TO CHANGE PRODUCT DESIGN, CONSTRUCTION, MATERIALS AND SPECIFICATIONS WITHOUT NOTICE UNDER ITS ONGOING PRODUCT IMPROVEMENT PROGRAMS.

Sno-Way Snow and Ice Control Equipment are protected by numerous U.S. and foreign patents with other patents pending. All other trademarks and registered trademarks are the property of their respective owners.

© 2023 Sno-Way International, Inc. All rights reserved. Litho in USA. 07-23 / P/N 97107052

**SOLD & SERVICED BY:**